

PC

REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only

International Application No.

International Filing Date

Name of receiving Office and "PCT International Application"

Applicant's or agent's file reference
(if desired) (12 characters maximum) 51045 WO

Box No. I TITLE OF INVENTION Method and device for automatically changing a digital content on a mobile device according to sensor data

Box No. II APPLICANT

 This person is also inventor

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

Nokia Corporation
Keilalahdentie 4
FIN-02150 Espoo
FINLAND

Telephone No.

Facsimile No.

Teleprinter No.

Applicant's registration No. with the Office

State (that is, country) of nationality:
FinlandState (that is, country) of residence:
Finland

This person is applicant all designated States all designated States except the United States of America the United States of America only the States indicated in the Supplemental Box

Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

GÖRTZ Udo
Im Haarmannsbusch 154
D-44797 Bochum

This person is:

 applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)

Applicant's registration No. with the Office

State (that is, country) of nationality:
GermanyState (that is, country) of residence:
Germany

This person is applicant all designated States all designated States except the United States of America the United States of America only the States indicated in the Supplemental Box

Further applicants and/or (further) inventors are indicated on a continuation sheet.

Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE

The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as:

 agent common representative

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)

Becker, Eberhard
Becker, Kurig, Straus
Bavariastrasse 7
D-80336 München
GERMANY

Telephone No.

0049-89-746 303 0

Facsimile No.

0049-89-746 303 11

Teleprinter No.

Agent's registration No. with the Office

Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)

If none of the following sub-boxes is used, this sheet should not be included in the request.

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

HABERLAND-SCHLÖSSER Knut
Hordeleer Str. 37
D-44809 Bochum
GERMANY

This person is:

- applicant only
 applicant and inventor
 inventor only (If this check-box is marked, do not fill in below.)

Applicant's registration No. with the Office

State (that is, country) of nationality:
GermanyState (that is, country) of residence:
Germany

This person is applicant for the purposes of: all designated States all designated States except the United States of America the United States of America only the States indicated in the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

RATEITSCHER Klaus
Isenbrockstr. 37
D-44867 Bochum
GERMANY

This person is:

- applicant only
 applicant and inventor
 inventor only (If this check-box is marked, do not fill in below.)

Applicant's registration No. with the Office

State (that is, country) of nationality:
GermanyState (that is, country) of residence:
Germany

This person is applicant for the purposes of: all designated States all designated States except the United States of America the United States of America only the States indicated in the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

THEIMER Wolfgang
Am Hohwege 10
D-44879 Bochum
GERMANY

This person is:

- applicant only
 applicant and inventor
 inventor only (If this check-box is marked, do not fill in below.)

Applicant's registration No. with the Office

State (that is, country) of nationality:
GermanyState (that is, country) of residence:
Germany

This person is applicant for the purposes of: all designated States all designated States except the United States of America the United States of America only the States indicated in the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

WEINGART Peter
Oskar-Hoffmann-Str. 122
D-44789 Bochum
GERMANY

This person is:

- applicant only
 applicant and inventor
 inventor only (If this check-box is marked, do not fill in below.)

Applicant's registration No. with the Office

State (that is, country) of nationality:
GermanyState (that is, country) of residence:
Germany

This person is applicant for the purposes of: all designated States all designated States except the United States of America the United States of America only the States indicated in the Supplemental Box

Further applicants and/or (further) inventors are indicated on another continuation sheet.

Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)

If none of the following sub-boxes is used, this sheet should not be included in the request.

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

SERAFAT Reza
Oskar-Hoffman-Str. 164
D-44789 Bochum
GERMANY

This person is:

- applicant only
 applicant and inventor
 inventor only (If this check-box is marked, do not fill in below.)

Applicant's registration No. with the Office

State (that is, country) of nationality:
GermanyState (that is, country) of residence:
Germany

This person is applicant for the purposes of: all designated States all designated States except the United States of America the United States of America only the States indicated in the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

LÜCK Matthias
Neuer Graben 59
D-44139 Dortmund
GERMANY

This person is:

- applicant only
 applicant and inventor
 inventor only (If this check-box is marked, do not fill in below.)

Applicant's registration No. with the Office

State (that is, country) of nationality:
GermanyState (that is, country) of residence:
Germany

This person is applicant for the purposes of: all designated States all designated States except the United States of America the United States of America only the States indicated in the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

MÄKELÄ Jukka
Vanha Hämeentie 110 D 61
FIN-20540 Turku
FINLAND

This person is:

- applicant only
 applicant and inventor
 inventor only (If this check-box is marked, do not fill in below.)

Applicant's registration No. with the Office

State (that is, country) of nationality:
FinlandState (that is, country) of residence:
Finland

This person is applicant for the purposes of: all designated States all designated States except the United States of America the United States of America only the States indicated in the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

This person is:

- applicant only
 applicant and inventor
 inventor only (If this check-box is marked, do not fill in below.)

Applicant's registration No. with the Office

State (that is, country) of nationality:

State (that is, country) of residence:

This person is applicant for the purposes of: all designated States all designated States except the United States of America the United States of America only the States indicated in the Supplemental Box

Further applicants and/or (further) inventors are indicated on another continuation sheet.

Box No. V DESIGNATION OF STATES

Mark the applicable check-boxes below; at least one must be marked.

The following designations are hereby made under Rule 4.9(a):

Regional Patent

- AP ARIPO Patent: GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, MZ Mozambique, SD Sudan, SL Sierra Leone, SZ Swaziland, TZ United Republic of Tanzania, UG Uganda, ZM Zambia, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT (if other kind of protection or treatment desired, specify on dotted line)
- EA Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT
- EP European Patent: AT Austria, BE Belgium, BG Bulgaria, CH & LI Switzerland and Liechtenstein, CY Cyprus, CZ Czech Republic, DE Germany, DK Denmark, EE Estonia, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, SK Slovakia, TR Turkey, and any other State which is a Contracting State of the European Patent Convention and of the PCT
- OA OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, GQ Equatorial Guinea, GW Guinea-Bissau, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line)

National Patent (if other kind of protection or treatment desired, specify on dotted line):

- | | | |
|--|--|--|
| <input type="checkbox"/> AE United Arab Emirates | <input checked="" type="checkbox"/> GM Gambia | <input type="checkbox"/> NZ New Zealand |
| <input type="checkbox"/> AG Antigua and Barbuda | <input checked="" type="checkbox"/> HR Croatia | <input checked="" type="checkbox"/> OM Oman |
| <input type="checkbox"/> AL Albania | <input checked="" type="checkbox"/> HU Hungary | <input checked="" type="checkbox"/> PH Philippines |
| <input type="checkbox"/> AM Armenia | <input checked="" type="checkbox"/> ID Indonesia | <input checked="" type="checkbox"/> PL Poland |
| <input type="checkbox"/> AT Austria | <input checked="" type="checkbox"/> IL Israel | <input checked="" type="checkbox"/> PT Portugal |
| <input type="checkbox"/> AU Australia | <input checked="" type="checkbox"/> IN India | <input checked="" type="checkbox"/> RO Romania |
| <input type="checkbox"/> AZ Azerbaijan | <input checked="" type="checkbox"/> IS Iceland | <input checked="" type="checkbox"/> RU Russian Federation |
| <input type="checkbox"/> BA Bosnia and Herzegovina | <input checked="" type="checkbox"/> JP Japan | <input type="checkbox"/> SD Sudan |
| <input type="checkbox"/> BB Barbados | <input checked="" type="checkbox"/> KE Kenya | <input checked="" type="checkbox"/> SE Sweden |
| <input type="checkbox"/> BG Bulgaria | <input checked="" type="checkbox"/> KG Kyrgyzstan | <input checked="" type="checkbox"/> SG Singapore |
| <input type="checkbox"/> BR Brazil | <input checked="" type="checkbox"/> KP Democratic People's Republic of Korea | <input checked="" type="checkbox"/> SI Slovenia |
| <input type="checkbox"/> BY Belarus | <input checked="" type="checkbox"/> KR Republic of Korea | <input checked="" type="checkbox"/> SK Slovakia |
| <input type="checkbox"/> BZ Belize | <input checked="" type="checkbox"/> KZ Kazakhstan | <input checked="" type="checkbox"/> SL Sierra Leone |
| <input checked="" type="checkbox"/> CA Canada | <input checked="" type="checkbox"/> LC Saint Lucia | <input checked="" type="checkbox"/> TJ Tajikistan |
| <input type="checkbox"/> CH & LI Switzerland and Liechtenstein | <input checked="" type="checkbox"/> LK Sri Lanka | <input checked="" type="checkbox"/> TM Turkmenistan |
| <input type="checkbox"/> CN China | <input checked="" type="checkbox"/> LR Liberia | <input checked="" type="checkbox"/> TN Tunisia |
| <input type="checkbox"/> CO Colombia | <input checked="" type="checkbox"/> LS Lesotho | <input checked="" type="checkbox"/> TR Turkey |
| <input type="checkbox"/> CR Costa Rica | <input checked="" type="checkbox"/> LT Lithuania | <input checked="" type="checkbox"/> TT Trinidad and Tobago |
| <input type="checkbox"/> CU Cuba | <input checked="" type="checkbox"/> LU Luxembourg | <input checked="" type="checkbox"/> TZ United Republic of Tanzania |
| <input type="checkbox"/> CZ Czech Republic | <input checked="" type="checkbox"/> LV Latvia | <input checked="" type="checkbox"/> UA Ukraine |
| <input type="checkbox"/> DE Germany | <input checked="" type="checkbox"/> MA Morocco | <input checked="" type="checkbox"/> UG Uganda |
| <input type="checkbox"/> DK Denmark | <input checked="" type="checkbox"/> MD Republic of Moldova | <input checked="" type="checkbox"/> US United States of America |
| <input type="checkbox"/> DM Dominica | <input checked="" type="checkbox"/> MG Madagascar | <input checked="" type="checkbox"/> UZ Uzbekistan |
| <input type="checkbox"/> DZ Algeria | <input checked="" type="checkbox"/> MK The former Yugoslav Republic of Macedonia | <input checked="" type="checkbox"/> VN Viet Nam |
| <input type="checkbox"/> EC Ecuador | <input checked="" type="checkbox"/> MN Mongolia | <input checked="" type="checkbox"/> YU Yugoslavia |
| <input type="checkbox"/> EE Estonia | <input checked="" type="checkbox"/> MW Malawi | <input checked="" type="checkbox"/> ZA South Africa |
| <input type="checkbox"/> ES Spain | <input checked="" type="checkbox"/> MX Mexico | <input checked="" type="checkbox"/> ZM Zambia |
| <input type="checkbox"/> FI Finland | <input checked="" type="checkbox"/> MZ Mozambique | <input checked="" type="checkbox"/> ZW Zimbabwe |
| <input type="checkbox"/> GB United Kingdom | <input checked="" type="checkbox"/> NO Norway | |
| <input type="checkbox"/> GD Grenada | | |
| <input type="checkbox"/> GE Georgia | | |
| <input type="checkbox"/> GH Ghana | | |

Check-boxes below reserved for designating States which have become party to the PCT after issuance of this sheet:

-
-
-

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation (including fees) must reach the receiving Office within the 15-month time limit.)

Box No. VI PRIORITY CLAIM

The priority of the following earlier application(s) is hereby claimed:

Filing date of earlier application (day/month/year)	Number of earlier application	Where earlier application is:		
		national application: country or Member of WTO	regional application: regional Office	international application: receiving Office
item (1)				
item (2)				
item (3)				
item (4)				
item (5)				

 Further priority claims are indicated in the Supplemental Box.

The receiving Office is requested to prepare and transmit to the International Bureau a certified copy of the earlier application(s) (*only if the earlier application was filed with the Office which for the purposes of this international application is the receiving Office*) identified above as:

all items item (1) item (2) item (3) item (4) item (5) other, see
Supplemental Box

* *Where the earlier application is an ARIPO application, indicate at least one country party to the Paris Convention for the Protection of Industrial Property or one Member of the World Trade Organization for which that earlier application was filed (Rule 4.10(b)(ii)):*

Box No. VII INTERNATIONAL SEARCHING AUTHORITY

Choice of International Searching Authority (ISA) (if two or more International Searching Authorities are competent to carry out the international search, indicate the Authority chosen; the two-letter code may be used):

ISA / .. SE

Request to use results of earlier search; reference to that search (if an earlier search has been carried out by or requested from the International Searching Authority):

Date (day/month/year)

Number

Country (or regional Office)

Box No. VIII DECLARATIONS

The following declarations are contained in Boxes Nos. VIII (i) to (v) (mark the applicable check-boxes below and indicate in the right column the number of each type of declaration):

Number of
declarations

- | | | |
|---|--|---|
| <input type="checkbox"/> Box No. VIII (i) | Declaration as to the identity of the inventor | : |
| <input type="checkbox"/> Box No. VIII (ii) | Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent | : |
| <input type="checkbox"/> Box No. VIII (iii) | Declaration as to the applicant's entitlement, as at the international filing date, to claim the priority of the earlier application | : |
| <input type="checkbox"/> Box No. VIII (iv) | Declaration of inventorship (only for the purposes of the designation of the United States of America) | : |
| <input type="checkbox"/> Box No. VIII (v) | Declaration as to non-prejudicial disclosures or exceptions to lack of novelty | : |

Box No. IX CHECK LIST; LANGUAGE OF FILING

This international application contains:		Number of items
(a) the following number of sheets in paper form:		
request (including declaration sheets)	6	
description (excluding sequence listing part)	18	
claims	3	
abstract	1	
drawings	3	
Sub-total number of sheets	31	
sequence listing part of description (actual number of sheets if filed in paper form, whether or not also filed in computer readable form; see (b) below)		
Total number of sheets	31	
(b) sequence listing part of description filed in computer readable form		
(i) <input type="checkbox"/> only (under Section 801(a)(i))		
(ii) <input type="checkbox"/> in addition to being filed in paper form (under Section 801(a)(ii))		
Type and number of carriers (diskette, CD-ROM, CD-R or other) on which the sequence listing part is contained (additional copies to be indicated under item 9(ii), in right column):		
Figure of the drawings which should accompany the abstract:	3	
Language of filing of the international application: English		

Box No. X SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESENTATIVE

Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request).



Dr. Eberhard Becker
Patent Attorney

For receiving Office use only

1. Date of actual receipt of the purported international application:	2. Drawings:	
3. Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application:	<input type="checkbox"/> received:	<input type="checkbox"/> not received:
4. Date of timely receipt of the required corrections under PCT Article 11(2):		
5. International Searching Authority (if two or more are competent): ISA /	6. <input type="checkbox"/> Transmittal of search copy delayed until search fee is paid	

For International Bureau use only

Date of receipt of the record copy
by the International Bureau:

This sheet is not part of and does not count as a sheet of the international application.

PCT

FEE CALCULATION SHEET
Annex to the Request

For receiving Office use only

International Application No.

Date stamp of the receiving Office

Applicant's or agent's
file reference 51045 WO

Applicant Nokia Corporation et al.

CALCULATION OF PRESCRIBED FEES

1. TRANSMITTAL FEE CHF 100,00 T
2. SEARCH FEE CHF 1383,00 S

International search to be carried out by

ISA/SE

(If two or more International Searching Authorities are competent to carry out the international search, indicate the name of the Authority which is chosen to carry out the international search.)

3. INTERNATIONAL FEE

Basic Fee

Where item (b) of Box No. IX applies, enter Sub-total number of sheets } 31
Where item (b) of Box No. IX does not apply, enter Total number of sheets }

b1 first 30 sheets CHF 650,00 b1

b2 1 x CHF 15,00 = CHF 15,00 b2
number of sheets
in excess of 30 fee per sheet

b3 additional component (only if sequence listing part of description
is filed in computer readable form under Section 801(a)(i), or
both in that form and on paper, under Section 801(a)(ii))

400 x _____ = b3
fee per sheet

Add amounts entered at b1, b2 and b3 and enter total at B B

Designation Fees

The international application contains 93 designations.

5 x CHF 140,00 = CHF 700,00 D
number of designation fees amount of designation fee
payable (maximum 5)

CHF 1365,00 I

Add amounts entered at B and D and enter total at I

(Applicants from certain States are entitled to a reduction of 75% of the
international fee. Where the applicant is (or all applicants are) so entitled, the total
to be entered at I is 25% of the sum of the amounts entered at B and D.)

4. FEE FOR PRIORITY DOCUMENT (if applicable)

CHF 1365,00 I

5. TOTAL FEES PAYABLE

CHF 2848,00

Add amounts entered at T, S, I and P, and enter total in the TOTAL box

TOTAL

The designation fees are not paid at this time.

MODE OF PAYMENT

authorization to charge
deposit account (see below) postal money order cash coupons
 cheque bank draft revenue stamps other (specify):

AUTHORIZATION TO CHARGE (OR CREDIT) DEPOSIT ACCOUNT

(This mode of payment may not be available at all receiving Offices)

Receiving Office: RO/ _____

Authorization to charge the total fees indicated above.

Deposit Account No.: _____

(This check-box may be marked only if the conditions for deposit accounts
of the receiving Office so permit) Authorization to charge any deficiency
or credit any overpayment in the total fees indicated above.

Date: _____

Authorization to charge the fee for priority document.

Name: _____

Signature: _____

**METHOD AND DEVICE FOR AUTOMATICALLY CHANGING A DIGITAL
CONTENT
5 ON A MOBILE DEVICE ACCORDING TO SENSOR DATA**

The present invention relates to the field of mobile electronic devices capable of editing digital contents. It also relates to a new user interface and to a new way for editing digital contents in mobile electronic devices. The present invention also relates to a new way for automatically generating digital contents. The present invention further relates to mobile devices with a huge storage.

The invention relates to the editing of digital text / audio/video content, which has been stored or taken via audio recorder, camera or received via DVB-T for instance. As a part of a new entertainment experience, users of mobile electronic devices can download personalization elements such as logos and ringing tones or sleep mode indications from a supplier, as known from mobile phones. The users of mobile devices are going to demand devices that enable the user to express creativity and personalization even via the electronic devices he uses. Users are going to demand the ability to modify and create electronic content with their mobile electronic devices.

So far, mobile devices are quite limited in storage and processing power, but in near future there will be mass memories available even for mobile devices at reasonable prices enabling new exciting applications for customers. The present invention relates to new applications and mobile devices. A creation of digital content and the editing thereof by users is currently limited to SMS.

From the state of the art it is known to integrate an answering machine functionality with announcement texts into a mobile telephone. This is for example described in the document WO 01/78364. In this document it is disclosed that an answering machine can reproduce different answering announcements depending on the actual operation state of the device.

In contrast, it is desirable to offer a user mobile electronic device capable of providing more than a playback functionality for „canned“ text, logos, music, pictures and videos. Instead it is possible that an integrated answering machine be adapted to edit, generate, process and change 35 digital content of storage in accordance with variable conditions such as sensor data, manual

input, device settings and operating parameters, respectively.

It is desirable to provide an improved ability of mobile devices and methods for creating and modifying digital content beyond the very limited state of the art.

5

According to a first aspect of the present invention a mobile electronic device is provided that comprises a storage to store digital content and has a processor that is configured to edit said stored digital content, and that is characterized by a component to obtain data from an outside or inside sensor. The processor of said devices is configured to edit, generate, process and/or simply 10 change said digital content according to said obtained sensor data. This embodiment is a kind of data analyzer or evaluator, wherein said data are used to edit an electronic content. To visualize one of the benefits of this embodiment, the device can receive sensor data and automatically edit 15 e.g. a digital form accordingly. Thereby, the digital content can e.g. be a digital form that is filled in according to said obtained sensor data. The special application and embodiment can be chosen according to the desired application and the desired functionality.

To enable a new experience of entertainment, it is important to give users more freedom and possibilities to be creative and innovative. It is also important to make mobile devices reliable, so that they can be used for a couple of activities for which users up to now need a lot of devices. 20 There is no reason why a user should be bothered with the maintenance of different battery packs of different mobile electronic devices. As mentioned already, users do not want to just handle pre-designed content, they want to create own content and have freedom of editing it. A user might want to edit and combine, e.g. video sequences or still pictures with audio and text sequences.

25

As mentioned already, users do want to not only just consume content, they want to create own content and have freedom of editing it. E.g. video sequences or still pictures can be combined with audio (I.e. video clips played to music) and games and events or sensor data (incoming call, time, diary input, etc.). They can be recorded provided there is a kind of audio/video phone 30 application in the device.

Just as a non limiting example the generation of a digital document is executed by retrieving a template (like known from text programs like e.g. Microsoft Word). Then sensor data e.g. from a position sensor of the device are obtained by means of well known positioning systems. The 35 template can then be recalled according to the present position, e.g. when recalling a template from the home position, a private template is automatically recalled and filled in with a home address: If the user is located at his workplace, a firm template can be recalled, and filled in with

the firm address. In case the user is recalling the template from a location the device can identify, the position e.g. by comparative information evaluation, the template can be selected according to the person said address is related to. If a firm address is detected the firm template is recalled and added with a position information such as currently at "Firm ###". If the actual position is 5 related to a personal friend, a private template can be recalled and the actual position e.g. with a communication information can be added to the template.

The same principle can be applied to the generation of the letter-heading of a FAX, e.g. on mobile fax enabled devices.

Just as a non limiting example: in case of a game of skill application on said mobile electronic 10 device, a gravity sensor can be used to maneuver a virtual bullet through a virtual maze by just tilting the mobile electronic device. In such an application, the electronic content would be game data or display data.

15 In yet another embodiment said mobile electronic device further comprises a communication device. The application of a communication device has the main advantage that a user can exchange e.g. a digital content, and can further receive e.g. sensor data from a remote sensor according to a presently used application.

20 In another embodiment of the present invention, said mobile electronic device further comprises a mailbox, wherein said digital content to be edited is an announcement of said mailbox. The mailbox can be a mailbox for electronic mail, as known from the field of mobile communication such as E-mail, SM (Short message), MMS (multi media message) and the like. The mailbox can be a voice – mailbox known from the mobile communication network. The mailbox or voice mailbox can be a built-in voice - mailbox also known as an answering machine. In the case of a 25 built-in mailbox said digital content is e.g. an announcement text which is altered according to obtained sensor data.

30 It should be noted that this embodiment of the invention is directed to obtain sensor data and generate a mailbox announcement according to said sensor data. The implementation of an answering machine in a mobile electronic device has several advantages:

- Different answer texts can be generated by editing a basic text
- The calling line can be identified and the answering text can be edited accordingly
-

- Sensed phone profile settings can be used for editing an answering text
- The location/context of the caller can be sensed and considered for editing the answer text.
- 5 - The answer texts and the relation to sensor data can easily be changed without call connection costs.
- Messages from callers are stored on the terminal and can be accessed easily, similarly without connection costs.
- 10
- The announcement of a mailbox can be automatically generated / edited in dependence of the present position and or the time. For example if no sensor data are available, a basic text like „This is telephone NR. ### please leave a message after the Signal“ can be reproduced. If more sophisticated sensor data are available, and it is detected that the caller is e.g. an employee of the same Firm, an announcement such as: “Sorry Mr., ### I’m actually in a meeting in room NR. ###, please call back at ## o` clock, or dial 22 for a return call request, or leave a message after the signal”. If more sensor data are available, an announcement like „This is ####, I am presently on vacation on cairman island, local time 3 a.m. and I am surly asleep, please try again in 7 to 8 hours, or leave a message after the signal...“.
- 20
- It may be noted that the answering text can be generated automatically or manually. In a basic embodiment e.g. only an announcement of a local time in an answering text can be edited automatically wherein e.g. the selection between a private or business answering text has to be made manually.
- 25
- Also, the present invention is not just directed to automatically selecting between a number of pre-stored answering announcements, it can also be applied to such a solution if e.g. two or more basic announcements are stored that are selected and edited according to said obtained sensor data.
- 30
- In another embodiment of the present invention said processor is configured to edit, generate, process and/or change the announcement of said mailbox automatically according to said obtained sensor data. A fully automated selection and editing of announcements, requires less user interaction for a sophisticated answering machine functionality.
- 35
- This embodiment of the invention is for the situation that the user of a mobile phone (or mobile device in general) gets an incoming phone call but is not able to accept the call. In these

situations a phone answering machine is useful to record a message from the calling party. In mobile telephony, this functionality so far has been provided by the network operator, i.e. the message is stored in the network and the user can later establish a voice call to his personal mailbox in the network to listen to the recorded messages.

5

If the mobile device is equipped with sufficient storage capacity, there are good reasons to integrate the answering machine functionality into the mobile device itself. On the one hand this reduces costs for the user because there is no need to call a personal mailbox in the network, and on the other hand the user benefits from the faster access to his stored messages.

10

The answering machine of this embodiment is much more refined than the conventional network-based solutions available today, and provides more convenience/comfort and opportunities to the user. For instance, the following functionality could be realized:

15

- The answering machine can be configured in a way that it is activated/deactivated for specified callers or caller groups, if the device comprises a caller identification sensor,
- The answering machine can be configured in a way that for specified callers / caller groups individual announcements are used, i.e. for business partners, friends and schoolmates,
- Each caller / call group can be given a varying amount of time for leaving messages, by editing the maximum size of a storage area in a storage of said phone,
- The answering machine can be configured in a way that the announcement varies according to time, number of tried calls, location of the user, or other parameters, obtained via respective sensors,
- In addition to the voice/audio announcement the answering machine sends a predefined text or a multimedia message to the calling party, this message may be user configured to be sent only when e.g. a certain caller is connecting the mailbox, e.g. combined with a predetermined time period,
- The answering functionality is not limited to incoming voice calls in cans of a voice box, but could be extended to handle incoming messages as well. This feature enables a user to reject E-mails from certain addresses providing a "blacklist" functionality, to the mailbox,
- The answering machine can communicate with the network in order to divert selected callers

35

- / caller groups to another phone number, providing a selective rerouting, which may be combined with a net-based mailbox with an extremely long answering text, to overload undesired caller with unnecessary information,
- 5 - The answering machine can be operated depending on the currently active phone mode or phone profile, the answering text can comprise information about the actually active phone mode.

For the above scenarios it is helpful that the answering machine is very closely linked with the phonebook of the user and the currently selected phone setting in general. In order to achieve the same level of functionality with network-based answering machine solutions, all information 10 phone book entries, position data, local sensor data, etc have to be requested from the phone. Another advantage of a built in mailbox resides in the fact that the incoming calls are stored 15 locally in the device and not in the network, and the user can access the recorded messages faster than today and without the additional costs for calling his mailbox number. However, outside mailbox connection increases service provider profit. The user is also becoming more independent from the environment since he has not to care about network coverage, etc. This embodiment of the invention provides a cheap and highly configurable call answering solution to 20 users of mobile devices. The user further benefits as he is becoming more independent from network coverage, and as he has more options to adapt the system to his personal needs.

In another embodiment, said mobile electronic device further comprises a mobile telephone. The 25 mobile telephone application is mentioned to underline that the communication device can comprise a classical mobile telephone, and is not limited to just VoIP (Voice over Internet Protocol) or such devices. The use of the present invention in a mobile telephone or a communicator provides the advantage that many people can benefit from the advantages rising from the automated editing of digital content, and automated answering machine text editing.

In yet another embodiment of the present invention said mobile electronic device further 30 comprises a text to speech transducer. The use of a text to speech transducer enables the device to reduce the amount of data to be stored necessary to generate and edit an answering text of said voice mailbox. So instead of storing a whole audio recording of the user's voice, the answering text can be stored as e.g. a small ASCII file. So according to this embodiment, the answering text 35 can be stored and edited as a text and then, the edited text is "read out" by the mailbox e.g. by means of a synthetically generated voice. To personalize the synthetic voice the frequency range, the modulation and e.g. the speech rhythm of the user may be recorded and used for the generation of a digital content.

In one embodiment of the present invention, said stored digital content comprises digital audio data. With mass memory in place, it is possible to store large amount of audio data. In a mobile electronic device providing this option, a software audio player application can be stored in a 5 memory as well, so it does not have to be available as a hardware component in the device but it can be there, of course, as well. With an audio player and e.g. an audio recorder a user can use the mobile electronic device as an electronic dictating machine, offering a post process and editing function, to post-process digitally stored audio data. another application of an audio processing can be used to accompany an audio text with music. Especially for young people a 10 mobile device can comprise e.g. a MP3 player offering a mixing desk functionality to post process stored music according to the personal preferences.

15 The audio embodiment of the present invention can also be used for audio composing. Audio composing and editing is comprised of:

- 15 playing of audio content via internal and/or external speakers/headphones
- creating of audio data from scratch via speech/sound recording, MIDI composer, ringing tone composer, sound effects creation
- 20 deleting, moving, copying, storing of content
- exchanging with other people ,
- 25 mixing/combining (MIDI, speech samples, music),
- link to events
- modifying/changing existing content
- 30 converting format
- linking to events (like incoming MMS or calls)
- 35 attaching (e.g. to MMS)

In another embodiment of the present invention said stored digital content comprises digital

picture/video data. With mass memory in place, it is possible to store large amount of picture and video data or even movies including sound, i.e. on a storage media such as an optical disc, a hard disc or the like. A software based player for audio/video content can be stored in this memory device, so it does not have to be available as a hardware component in the device, which can be there, of course, as well. A processing of video sequences is a vital prerequisite to the use of video data in a mobile environment. The use of uncut video data requires much storage space, which is too valuable to be wasted to visual ballast. With a possibility to edit e.g. the audio track of video data on a mobile device, a user may take one video sequence, and comment it with different audio tracks and transfer it to different addresses as a multimedia postcard, without the need to record a new video sequence.

The device can be used as mobile audio/video player (i.e. compression means for storing a DVD on just a single CD-ROM do exist) and connected with home stereo/video equipment via a short range radio connection like Bluetooth or cable.

The applications of the embodiments of the preceding description can be logically divided into e.g. three main parts: for example audio composing and editing, video composing and editing, and audio/video linking. audio composing has already been described in the preceding description.

Video composing and editing is comprised of:

- recording of video data from TV and integrated or attached camera (video sequences and still images)
- displaying still images and showing video sequences on device screen and connected TV or PC monitor, where resolution is adapted to resolution of connected screen
- creating images/videos from scratch using camera/drawing application
- copying, exchanging, backup, moving, deleting,
- converting format,
- modifying/changing, mixing/combining,
- linking to events (like incoming MMS or calls),

- attaching (e.g. to MMS)

5 Audio and video linking is comprised of

- attaching of audio (e.g. sound, speech, music) to images and videos
- attaching of images and videos to audio (e.g. sound, speech, music)

10 In yet another embodiment of the present invention, said stored digital content comprises digital text data. Compared to the processing of audio and video data, the editing of a text data seems to be known from editing SMs (Short Messages), but in the combination with the editing of pictures, audio and video data and the use of sensors for editing, even a text editing application is new and inventive. So one embodiment of a mobile electronic device according to the invention 15 can be used to combine a picture with a headline, or a saying, provide subtitles to audio and video data and the like, which is actually not possible with currently available mobile devices.

20 A picture gallery including images, photographs, smileys and audio samples can serve as starting point for creativity. The user can add own content, be it still images, small video sequences or own audio recordings. Equipped with a camera the device is a travel camera as well. A picture editor (i.e. stored on the removable medium) is to modify pictures and videos and it is possible to send them to friends via MMS. Similar is true for an audio editor. Digital postcards gallery at holiday saved on an optical disc is another embodiment.

25 As in the case of audio and video composing, editing, and linking, these techniques can also be applied and combined with digital text data.

30 In fact, from possible actions point of view there is no substantial difference between audio and video content and the difference to a text content is dependent from the file format actually chosen, so it may be noted that a common composing and editing application for all digital content can also be used.

35 In yet another embodiment of the present invention mobile electronic devices further comprise a processor configured to evaluate said obtained sensor data. This evaluation step can help and will help to decide if an obtained sensor data is available and meaningful. E.g. in case of clock values below 0 and above 24 hours and temperature values below 0K and above 400K the ranges are exceeded and are not meaningful and can therefore be rejected. Similarly, acceleration values

above 10g and speeds above 200 km per hour are also not meaningful and therefore should be rejected, as it can be expected that the phone under such conditions can not be operated properly.

Another benefit of an evaluation of the sensor data provided is that the editing of the digital content is executed according to proper data and according to a proper relationship between sensor data and digital content to be edited. This may best be visualized by an example of the aforementioned mailbox embodiment. In the mailbox, a basic answering text can be chosen and altered according to the sensor data, in case of the inconsistent sensor data, these data can be rejected to prevent an inconsistent answering text. Thereby answering texts such as "I am, on vacation on room ###, will not be back until march 17, please leave message after the signal" wherein a device status (vacation, and return on march 17) information is in conflict with a position information (room ###). Such conflicts can be detected and avoided by an evaluation operation such as plausibility estimation. Such plausibility estimations can e.g. be done by means of a plausibility table or a list of incompatible events.

In another embodiment of the present invention said component to obtain sensor data comprises a receiver. A receiver can be used to receive e.g. a clock signal such as the DCF 77, or remote data from GPS satellites or from a remote sensor e.g. position sensor data via cellular positioning methods such as Enhanced Observed Time Difference (E-OTD). In case the environment provides a low range radio network such as a Bluetooth or WLAN network a receivers network identification can be used to identify a location of the mobile electronic device.

According to yet another embodiment of the present invention said component to obtain sensor data comprises at least one built-in sensor within said mobile electronic device. Such sensors can be battery power devices, sensors to detect if said device is operated in a car with a hands-free device, illumination sensor, temperature sensors, sensors for determining a remaining storage space and the like.

In another embodiment of the present invention, one of said sensors is an acceleration sensor. In case of an acceleration sensor said audio editing application can use the sensor data to generate e.g. a beat or drum rhythm if the user moves the device in a drumstick fashion, wherein the amplitude and the shape of the movement can be used to generate sound and loudness and the frequency to generate a beat. This would be some kind of a handheld percussion device. In the same fashion virtual Drums, Bongos or even virtual Xylophones are realizable, e.g. by integrating the data of the acceleration sensors and relate every position to another tone.

Another editing application in the field of text editing can e.g. be a format and a "sponge"-

functionality. For example an acceleration sensor can be used to detect if the device is tilted, and can accordingly adapt the setting of a text, e.g. if the device is tilted to the left or right, a text on the device is formatted to the left or the right, respectively. If the device is tilt up, a new line is created, and if the device is tilt down a new paragraph is created. The sponge functionality, can 5 be embodied e.g. as follows: if the device is shaken once, the last word can be removed, and if the device is shaken twice the last line or sentence is removed; if shaken three times the last paragraph can be deleted and if the device is shaken continuously the whole document is deleted. In another embodiment, the shaking process can be used to start a coding or an encryption of said text document.

10

A more general method for performing the editing of content with an acceleration sensor can be provided by modifying pictures/images, according to a detected movement. The faster the device is moved into a certain direction the more the image changes accordingly. In case of a gravity sensor application, a virtual bullet can be rolled over a concave RGB plane, so that a user can 15 change histogram data by tilting the device. In case a color monitor is used, the three color edges can be depicted by color patches in the corners of the display, and a small e.g. bullet shaped cursor indicates the position of a histogram element in an RGB plane.

20

In another embodiment of the present invention one of said sensors is a position sensor. Positioning sensors such as GPS (Global Positioning System) / DGPS (Differential GPS), Glonas (Global Navigation System), or cellular positioning methods such as E-OTD provide an auto editing feature for letter-heading, or an auto position indication for mailbox announcements. the letter-heading feature can be used to automatically insert address or sender information according to the present position in a letter or an E-mail, or the like message.

25

In another embodiment, said mobile terminal device comprises an optical sensor. The optical sensor can be in the simplest case an illumination sensor for changing e.g. an display illumination. more sophisticated embodiments can provide a biometrically based user recognition system to recall user specific settings according to a determined user. The optical sensor can be a 30 fully grown scanner capable of reading texts without the need to touch a surface e.g. by a photo or a scanning beam based system.

35

In another embodiment of the present invention said sensor is for sensing atmospheric properties. The sensor can be to measure temperature of the device or the body temperature of the carrier of said mobile terminal device, and other meteorological values such as, pressure on the device, air pressure, humidity, insolation (solar flux), pollution values, e.g. poll incidences for allergic persons, Ozone values and the like.

- Pressure sensor values can be used to enhance a text in the text mode to generate a text bolder or thinner flag according to a sensed pressure. The pressure sensor can be used to mark text passages or to play, play fast forward or rewind digital music data and the like, to provide a kind of „jog dial“ functionality to a simple pressure sensor. Another example is a temperature sensor.
- 5 Depending on the ambient temperature an image could change its saturation or a speech sample its pitch frequency. Also the noise level picked up from the microphone or the dynamics of music currently played can be used as input for editing. Using sensor input, funny and not easy-to-predict modification of content is possible.
- 10 The atmospheric properties comprise also periodical pressure fluctuations, commonly denoted as sound noise or the like. It is to be noted, that a microphone falls under the wording of the respective claim. One application to edit a digital content with the use of sound can be given e.g. by changing graphical content like a picture with a sound input. A game application can be used to control the movement of an object by a sound, in the case of the mobile phone game "snake" this can be used to direct the snake to the left and to the right by humming high and low frequencies. Such a game application can provide an additional experience to the user, if the snake can move freely even diagonal on the display. Another example of a sound sensor controlled editing can be a drawing application using the loudness and a detected tone to move a cursor over the display to sketch small drawings.
- 15
- 20 In yet another embodiment of the present invention said mobile electronic device further comprises a processor being configured to change device settings according to said obtained sensor data. This processor provides extra features for an increased user friendliness, as the sensor data are available they can be used to simplify the user interaction e.g. by adapting the brightness of a display device to the data received from an illumination sensor. Another application would be to scroll or mark a text document according to received orientation sensor data. Acceleration data can be used to change the pitch, speed, and the volume of a sound or a piece of music. Such features are known from e.g. spaceship toys to generate space and action sounds to a simple piece of plastic, but such a toy can only generate a sound and is not capable of editing a sound or an audio file.
- 25
- 30 Another embodiment of the mobile electronic device further comprises a user interface, for manually overriding said automated editing functionality. Thereby a user can generate a text without the use of the automated devices of the preceding description. So a user can edit a digital text, audio or video content according to his preferences and can generate a mailbox answering text according to his preferences without being forced to use the sensor input.
- 35

- According to another aspect of the present invention, a method for editing digital content on a mobile electronic device in accordance with obtained sensor data is provided. The method comprises obtaining of sensor data from a sensor, and editing a digital content in accordance with said obtained sensor data. said sensor data can concern e.g. information related to the context of said mobile electronic device. As can be recognized from the preceding description of the mobile terminal devices said digital content can comprise text, audio and video data and the sensor input can be received from an external sensor or from an internal sensor of said mobile terminal device.
- 5
- 10 In one embodiment of the method said edited digital content is an announcement message stored in said mailbox. The main benefit of a mailbox editing an answering text according to received sensor data is that only a relative small number of relations is required to provide a sophisticated and huge number of different, accurate and informative answering texts to a single answering machine.
- 15
- 20 Another embodiment of the present method further comprises the reception of a communication request. The reception of a communication request can be used to initiate the editing of a basic answering text according to the present invention. If the answering text should comprise a personal word of welcome, it is helpful to know the sender of the communication request. Additionally, if the reception of a communication is used to start the editing of a communication request, the number of editing operations can be reduced to a minimum.
- 25
- In another embodiment of the method said obtained sensor data are evaluated, and said editing of said digital content is executed in accordance with the result of said evaluation operation.
- 30 Another embodiment of the present invention further comprises the reception of sensor data from an external sensor. The external sensor can be a position sensor, a sensor to identify a sender of a communication request and the like.
- 35 According to yet another embodiment of the present invention, the method further comprises transmitting of said edited digital content. In the mailbox application this represents the replay of the answering text to a caller. In contrast to the standard answering machine the answering text can be generated just in the moment it is required. The generation of said answering text can be executed by editing a basic text according to said obtained and evaluated sensor data.
- In another embodiment of the method, the settings of the device are changed comprising changing of device settings in accordance with said sensor data. This change of settings provides

an increased user friendliness, which could be used as the sensor data are available anyway.

5 Yet another embodiment of the present invention provides a method further comprising manually editing said digital content by user input. Such a "manual override" can be used to provide a semiautomatic editing functionality. A manual override further helps a user to use the mobile electronic device as a conventional device.

10 According to another aspect of the present invention, a software tool capable of carrying out the methods of the preceding description is provided, which comprises program code means for performing all of the steps of the preceding description when said software tool is incorporated in a program which is run on a computer or a network device.

15 According to yet another aspect of the invention, a computer program is provided comprising program code means stored for carrying out the aforementioned methods of the preceding description when said computer program is run on a computer or a network device.

20 According to yet another aspect of the invention, a computer program product is provided comprising program code means stored on a computer readable medium for carrying out the method of the preceding description when said program product is run on a computer or a network device.

25 For the purpose of this specification the term "edit" is used to encompass all kind of generating new content, processing available content, selecting and producing alternative content and changing content.

In the following, the invention will be described in detail by referring to the enclosed drawings, in which:

30 Figure 1 is block diagram of a method operating a mobile mailbox for adapting an announcement to sensor values according to one aspect of the present invention,

Figure 2 is a block diagram of depicting the adaptation of an answering text of a mailbox according to figure 1, and

35 Figure 3 is an example of an embodiment of the mobile device according to another embodiment of the present invention.

Figure 1 is a block diagram depicting the operation of a mobile communication device with a built in mailbox capable of adapting an answering text to obtained sensor values. The process is initiated with the reception of a communication request 100 at the mobile communication device. As in the case of conventional communication devices with mailboxes, it is determined if the 5 mailbox is activated 102. This is usually done by requesting the settings of the communication device. If the device is e.g. in a sleep mode, and it is not to be expected that the user will take the call, the mailbox is activated 110. If the mailbox is not activated, a ring tone is started 104, as in the case of a conventional mailbox. Simultaneously a timer is activated to detect if the user is accepting the call or not. If the user accepts the call, or the timer is active if the mail box is not activated 106. If the timer runs out while the communication request is still active and the call 10 has not been accepted by the user, the mailbox is activated 108.

The activated mailbox starts reading out sensor values 110. Next, the sensor values are evaluated 112 to obtain information how the answering text is to be selected or adapted to the sensor 15 values. The evaluation comprises steps like discriminating sensor values, judging the values and sorting the values according to their importance. This can be done by tables, functions and relations, or other user selectable regulations. So, e.g. a position information can be rated higher than a local time of day, and temperature data may be rated the lowest. The evaluation can be 20 executed by defining e.g. an operational-/environmental- state tuple, and the evaluation can be done by using vector algebra, or a matrix calculation, to obtain an answering text tuple which can be used to generate/adapt an answering text to the present situation. The mailbox can then select a basic answering text 114 and adapt 116 it according to the answering text tuple. The generated answering text or announcement is then reproduced to the caller 118. According to the answering text a recording can be started 120 to enable the caller to leave a message. The mailbox can 25 terminate the connection 122 after the recording, or directly after the announcement, depending on the values in the answering tuple or to the chosen answering text.

Figure 2 is showing one embodiment of the editing of an answering text of a mailbox according 30 to another aspect of the invention by means of a block diagram. As an example the editing of an announcement of an answering machine is used. The depicted functionality corresponds to the blocks 110 to 118 of figure 1 and shows another method of generating and adapting the announcement of a voice mailbox. The method starts with the detection of a triggering event 2. In a mailbox system this is the reception of an incoming communication request, for example a call. It is assumed that the device executing this method actually has recognized in step 2 that an 35 announcement is to be produced, e.g. by having requested the operational state of the device. In step 2 the answering machine recalls a basic answering text 4, and after that, requests a first sensor 6 to produce a sensor value and requests the processor to edit the basic text to the details

of a private mode. An example of a basic answering text can be "This is number 26580, please leave a message after the signal" The first sensor 6 can e.g. be a Bluetooth component to determine the presence of a local wireless network which indicates an office or a home environment. This first editing can be used to add a private greeting 8 or an official greeting 10 to the basic announcement text 4. The private greeting 8 can change the heading to: "This is Suzy and Paul...", and an official greeting 10 can e.g. sound like: "Welcome to NOKIA, Dr. Frank is actually not available...", wherein this change can be done according to automated processing capability of the processor. After fixing the intro, a sensor 16 can be used to determine additional information such as: "... we are actually in the cinema/opera, ..." 18 or " we are shopping..." 20, according to the sensor information of sensor 16. The sensor 16 is an activity sensor capable of determining a user activity. The sensor information 16 can be entered manually by the user, or may be derived from a diary and a time / date information. In case of the formal announcement, the sensor information can recall a text element as "... I'm in a meeting ..." 12, or "... I'm actually away on business ..." 14. The next sensor 26 can be used to determine information related to an expected accessibility of the user, like "... until 23 o' clock ..." 28 or "... till October the 3rd " 22. An additional sensor 36 can be requested for information about the presently available storage space to generate or insert an end text like "...please leave a message after the signal, and we call you back.... BEEP." 38 or an ending like "please try again." 32. In the present example the basic text "This is number 26580, please leave a message after the signal", has been altered into "This is Suzy and Paul...we are actually in the cinema... until 23 o'clock ...please leave a message after the signal, and we call you back. BEEP", as created by blocks 8, 4, 18, 28, 38. Then finally the whole text is reproduced and sent to the origin of the communication request 50.

Figure 3 is an example of an embodiment of the mobile device shown in an environment necessary to operate a sensor controlled answering text generation, according to another embodiment of the present invention. Figure 3 can be divided up into three parts.

Part one is a communication network 70 providing a mobile connectivity to the mobile terminal device 60 via a mobile base station 72 and an air interface 74. The mobile communication network can e.g. be a GSM or a UMTS network as known in the art. The base station can be a conventional base station as known in the art. The air interface 74 connecting the network 70 and the terminal device 60 can be embodied as a conventional TDMA (Time Division Multiplex Access) connection or any other radio connection. The elements 70, 72 and 74 are only to provide a path to deliver a communication attempt to the mobile terminal device 60.

Part two is the mobile terminal device 60. The mobile terminal 60 comprises an antenna 86 to connect to the base station 72 and to external sensors 66 via respective air interfaces 74, 68. The

mobile terminal device comprises in this case an internal temperature sensor 64 and an internal time sensor 62, indicated as the depiction of a thermometer and a clock on a display of the device 60. Both sensors are connected to the processor 80. The processor 80 is connected via a radio component (not shown) to the antenna to exchange data and information with the communication network 70 and with external sensors 66.

The processor 80 is further connected to a mailbox memory 81 storing basic announcements and text elements to adapt the announcements to sensor data received from internal 62, 64 or external 66 sensors. The processor 80 is further connected to a relation memory 82 storing basic relations or prescriptions on how to process and interpret the sensor values and how to generate and adapt the announcements and text elements to generate a respective answering text.

Part three is at least one external sensor 66 connected to the device via an air interface 68. These sensors can be, e.g. satellites of the GPS system, Bluetooth devices or the like to determine a position or the like.

As described in the figures 1 and 2, the mobile terminal comprises all elements necessary to adapt an announcement of a mailbox to sensor data received from internal or external sensors.

It may be noted, that in the case that no sensor data are available, the basic answering text is reproduced unchanged.

It may be noted that the devices in the present description need a relatively large storage space such as a micro hard-disc, to offer a good functionality of automated editing functions. The mobile electronic devices have a large memory for storing digital audio and video content and computing capacity for creating and editing such kind of information. In case of a small data base to be edited it may otherwise be better to just have a collection of pre-stored solutions to be recalled as in the case of a conventional answering machine changing the text in dependence of the remaining storage space.

It is to be noted that the invention is about editing digital text/audio/video content, which has been taken via audio recorder, camera or received via DVB-T for instance. In fact, the invention is valid for all type of audio/video content being on said mobile device or brought to the mobile device, independently of the transmission path (i.e. by memory card, over the air, by Bluetooth link, SMS, MMS, etc.).

This application contains the description of implementations and embodiments of the present

invention with the help of examples. It will be appreciated by a person skilled in the art that the present invention is not restricted to details of the embodiments presented above, and that the invention can also be implemented in another form without deviating from the characteristics of the invention. The embodiments presented above should be considered illustrative, but not restricting. Thus the possibilities of implementing and using the invention are only restricted by the enclosed claims. Consequently various options of implementing the invention as determined by the claims, including equivalent implementations, also belong to the scope of the invention.

Claims

1. Mobile electronic device, comprising a storage to store digital content and processor being configured to edit and change said stored digital content, characterized by a component to obtain data provided from a sensor, wherein said processor is configured to generate and/or process said digital content according to said obtained sensor data.
5
2. Mobile electronic device according to claim 1, further comprising a communication device.
- 10 3. Mobile electronic device according to claim 2, characterized by a mailbox, wherein said digital content to be edited comprises an announcement message contained in said mailbox.
- 15 4. Mobile electronic device according to claim 3, wherein said processor is configured to generate and/or process a basic announcement of said mailbox automatically according to said obtained sensor data.
5. Mobile electronic device according to claim 3 or 4, further comprising a text to speech transducer, to read out said announcement stored as a text data file.
- 20 6. Mobile electronic device according to claim 4, wherein said communication device is a mobile telephone.
7. Mobile electronic device according to anyone of the preceding claims, wherein said stored digital content comprises digital audio data.
- 25 8. Mobile electronic device according to anyone of the preceding claims, wherein said stored digital content comprises digital picture/video data.
9. Mobile electronic device according to anyone of the preceding claims, wherein said stored digital content comprises digital text data.
30
10. Mobile electronic device according to anyone of the preceding claims, further comprising a processor configured to evaluate said obtained sensor data.
- 35 11. Mobile electronic device according to claim 2, wherein said component to obtain sensor data comprises a receiver.

12. Mobile electronic device according to claims 2 and 7, wherein said component to obtain sensor data comprises at least one sensor built-in in said mobile electronic device.
- 5 13. Mobile electronic device according to anyone of the preceding claims, wherein said sensor is an acceleration sensor.
14. Mobile electronic device according to anyone of the preceding claims, wherein said sensor is a position sensor.
- 10 15. Mobile electronic device according to anyone of the preceding claims, wherein said sensor is an optical sensor.
16. Mobile electronic device according to anyone of the preceding claims, wherein said sensor senses atmospheric conditions.
- 15 17. Mobile electronic device further comprising a processor being configured to change device settings according to said obtained sensor data.
- 20 18. Mobile electronic device further comprising a user interface, for providing a user interface for manually overriding said generating/processing.
19. Method for generating/processing a digital content stored on a mobile electronic device in accordance with obtained sensor data, comprising
 - obtaining data from a sensor, and
 - generating/processing said digital content in accordance with said obtained sensor data.
- 25 20. Method according to claim 19, further comprising receiving a communication request.
21. Method according to claim 19 or 20, wherein said generated digital content is stored as an announcement file of a mailbox.
- 30 22. Method according to one of claims 19 to 21, further comprising evaluating said obtained sensor data, and wherein said generating/processing of said digital content is done in accordance with a result of said evaluation operation.
- 35 23. Method according to anyone of claims 19 to 22, further comprising receiving sensor data from an external sensor.

24. Method according to anyone of claims 19 to 23, further comprising transmitting of said changed digital content.
- 5 25. Method according to anyone of claims 19 to 24, further comprising changing of device settings in accordance with said sensor data.
26. Method according to anyone of claims 19 to 25, further comprising manually editing said digital content by user input.
- 10 27. Software tool comprising program code means for carrying out the steps of anyone of claims 19 to 26 when said program is run on a computer device or a mobile electronic device.
28. Computer program comprising program code means for carrying out the method of anyone of claims 19 to 26 when said program is run on a mobile computer or network device.
- 15 29. Computer program product comprising program code means stored on a computer readable medium for carrying out the method of anyone of claims 19 to 26 when said program is run on a network device or a mobile computer device.

Abstract of the disclosure

Disclosed is a method for handling and generating and editing of digital documents or digital
5 contents on mobile electronic devices in accordance with sensor data perceived. The method
comprises the reception of sensor data or the monitoring of sensors, and the generation of said
digital content according to said perceived sensor data. It is further disclosed a mobile terminal
and a network device disclosed that are capable of handling a digital content according to the
above mentioned methods.

10

1/3




Fig. 1

2/3




Fig. 2




Fig. 3